

SECTION 13030

SEASONAL CLOSURE

PART 1 GENERAL

1.01 SCOPE

- A. This Section includes requirements for the seasonal closure of the On-Site Disposal Facility (OSDF). Seasonal closure includes activities to protect and maintain exposed impacted material that are performed at the end of the construction season.

1.02 RELATED SECTIONS AND PLANS

- A. Section 02200 - Earthwork
- B. Section 02270 - Erosion and Sediment Control
- C. Section 13010 - Impacted Material Placement
- D. Impacted Material Placement Plan, Revision I, October 1997.
- E. Part 8 - Environmental Health and Safety, and Training Requirements
- F. Part 6 - Statement of Work

1.03 SUBMITTALS

- A. Provide the proposed on-site source of the seasonal cover soil to the Construction Manager for review no later than 30 days prior to the installation of seasonal closure.

1.04 HEALTH AND SAFETY REQUIREMENTS

- A. Environmental, health and safety, and other training requirements shall be as specified in Part 8 of the Contract Documents.

PART 2 PRODUCTS

2.01 MATERIAL

- A. Furnish crusting agent in accordance with Section 13010.
- B. Seasonal closure material shall be Category 1 material as specified in the Impacted Material Placement Plan. Non-impacted materials shall not be used unless approved by the Construction Manager.

PART 3 EXECUTION

3.01 SEASONAL CLOSURE

- A. Construct a seasonal closure in areas with exposed impacted materials at the end of each construction season at locations approved by the Construction Manager. Contractor shall maintain the seasonal closure through the winter shutdown.
- B. Prior to seasonal closure, place Category 1 material over Category 2, 3, 4, and 5 material in accordance with the Impacted Material Placement Plan.
- C. Seasonal closure slopes shall not exceed 3.5H:1V (horizontal:vertical).
- D. Construct the seasonal closure in a manner that does not adversely impact leachate management, control of surface-water runoff and runoff, and control of fugitive emissions.
- E. Seal-roll the surface of the seasonal closure in accordance with Section 02200.
- F. Apply and maintain crusting agent for seasonal closure areas in accordance with Section 13010.
- G. Install and maintain erosion and sediment controls for seasonal closure areas in accordance with Section 02270.
- H. Contain runoff from seasonal cover in cell(s) and manage as leachate in accordance with Section 13010.

- I. Dust controls shall be in accordance with Part 6 of the Contract Documents.
- J. Perform equipment decontamination, as required, in accordance with Section 13010.

[END OF SECTION]